POPULATION ESTIMA	TES	LONG-TERM	CARE	LOCAL HEAL	TH DEPARTM	IENTS
Total 2004 Population	•	Community Options and as HSRS reports costs	for services	Staffing - FTE	Number	10,000 Population
Population per square mile County ranking in state	(1-72) 37	Client COP 1 MA Waiver *	s Costs 7 \$127,903	Total staff Administrative Public health nurs Other prof. staff Technical/Paraprof Support staff	1.0 ses 4.0	0.2 1.0
Age Female Male 0-14 3,870 4,110 15-19 1,430 1,580	Total 7,960 3,000	MA Waiver * CIP1A 1 CIP1B 8	0 \$485,580 8 \$1 853 034	Other prof. staff Technical/Paraprof Support staff	1.0 1.0 2.5	0.2 0.2 0.6
20-24 1,160 1,210 25-29 1,040 1,090	2,370 2,130	CIP2 COP-W 18	7 \$100,593 3 \$1,226,791			
30-34 1,210 1,230 35-39 1,390 1,490 40-44 1,690 1,710	2,440 2,870 3,400	MA Waiver * CIP1A	9 \$218,976 1 \$63,907 5 \$4,076,784	Funding Total Local Taxes	\$645,663 \$260,281	\$15.39 \$6.21
45-54 2,860 3,080 55-64 2,450 2,380	4,830	\$218,972 of the ab	ove waiver costs	LICENSED E		
65-74 1,730 1,640 75-84 1,430 1,050 85+ 690 380	2,480 1,070	were páid as local m using COP funds. Th not included in abov	is amount is	Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming	13 1,195	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Total 20,940 20,930 Age Female Male		* Waiver costs repor include federal fun	ted here	Hotels, Motels Tourist Rooming Pools	814 180	34 58 12
0-17 4,710 5,030 18-44 7,080 7,390	9,720 14.450	 Client	s Costs	Restaurants Vending		289 5
45-64 5,310 5,460 65+ 3,850 3,070 Total 20,940 20,930	10,770 6,920 41,870	Eligible and Waiting 3	3 n/a			
Poverty Estimates for 2000	·	(Family Care not prov	ided in county)	WIC PAR	TICIPANTS	
Estimate All ages 3,226 7.9% Ages 0-17 1,112 10.7%	(C.1.+/-) 166 (5%)	Note: Eligible and wa will be phased into Waivers as availabl	iting clients the COP and MA	Pregnant/Postpartu Infants		465
Ages 0-17 1,112 10.7%	84 (8%)	Waivers as availabl	e.	Children, age 1-4 Total		703 1,588
Average wage for jobs cover	ed	Home Health Agencies	204	CANCER INC Primary Site Breast	SIDENCE (20	28
by unemployment compensation (place of work)		Patients Patients per 10,000	•	Cervical Colorectal		25
Labor Force Estimates	Average	Nursing Homes Licensed beds	11 1,035 92.8%	Lung and Bronchus Prostate Other sites		36 26 105
Labor Force Estimates Civilian Labor Force Number employed Number unemployed Unemployment rate	21,380 1,133	Residents on Dec.31 Residents age 65 or	954 older	Total	_	220
Unemployment rate	5.0%	per 1,000 populatio	n 55	Note: Totals shown invasive cand		

			NATA	ALITY				
TOTAL LIVE BIRTHS Crude Live Birth Rate General Fertility Rat Live births with repo congenital anomalies	е	473 11.3 59.8 6 1.3%	Birth Order First Second Third Fourth or higher Unknown	Births 179 159 85	Percent 38 34 18 11 0	Marital Status of Mother Married Not married Unknown Education	Births 314 159 0	Percent 66 34 0
Delivery Type Vaginal after previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean	Births 4 1 370 67 31	78	1st Prenatal Visit 1st trimester 2nd trimester 3rd trimester No visits Unknown	369 89	Percent 78 19 3 <.5	of Mother Elementary or le Some high school High school Some college College graduate Unknown	48 187 129	Percent 3 10 40 27 20 <.5
Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown		Percent	Prenatal Visits No visits 1-4 5-9 10-12 13+ Unknown	Births 2 15 100 216 137 3	Percent <.5 3 21 46 29 1	Smoking Status of Mother Smoker Nonsmoker Unknown	Births 107 366 0	Percent 23 77 0
White	Births F 394 0 53 20 1	Percent 83 0 11 4 <.5	Low Birthweight (under 2,500 gm) Births Percent 22 5.6 5 9.4 1 5.0 *	1st Tr Births 321 38 5 * 4	Trimest imester Percent 81 . 72 25 . 80	er of First Prenata 2nd Trimester Births Percent 65 16 13 25 10 50 * 1 20	Other,	Unknown Percent 2 . 4 25 .
Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+ Unknown	Fe Births 0 12 30 116 141 107 57 10 0	ertility Rate 14 51 100 135 88 41 6	Low Birthweight (under 2,500 gm) Births Percent 2 16.7 1 3.3 8 6.9 9 6.4 6 5.6 2 3.5	1st Tr Births	Trimest imester Percent	er of First Prenata 2nd Trimester	Other,	/Unknown Percent
Teenage Births	42	30	* Data not	reported	if age or	race category has l	ess than 5	births.

MORBIDITY	Note: Death rates (except in	nfant) are	per 100,000 population.	Infant.	
REPORTED CASES OF SELECTED DISEASES*	Perinatal and	l fetal de	eath rates	n rates are per 1,000 li are per 1,000 live birt culated for fewer than	hs plus	
Disease Number	TOTAL DEATHS		422	Selected		
Campylobacter Enteritis 9	Crude Death Ra	ite	1,008	Underlying Cause	Deaths	Rate
Giardiasis 6				Heart Disease (total)		311
Hepatitis Type A 0				Ischemic heart disea		244
Hepatitis Type B** <5	Age	Deaths	Rate	Cancer (total)	89	213
Hepatitis NÁNB/C 9 Legionnaire's 0	1-4 5-14	1 1	•	Tracheà/Bronchus/Lun Colorectal	g 26 5	62
Lyme 5	15-19	2	•	Female Breast	9	.*
Measles 0	20-34	10	•	Cerebrovascular Disea		•
Meningitis, Aseptic <5	35-54	13	•	Lower Resp. Disease		50
Meningitis, Bacterial 0	55-64	48	994	Pneumonia & Influenza	13	
Mumps 0	65-74	59	1,753	Accidents	20	48
Pertussis 12	75-84	129	5,204	Motor vehicle		
Salmonellosis 6	85+	158	14,822	Diabetes	26	62
Shigellosis 0				Infect./Parasitic Dis	. 6	•
Tuberculosis 0	Turfacet			Suicide	8	•
* 2004 provisional data.	Infant Mortality	Deaths	Rate	* Based on female pop	ulotion	
** Includes all positive HBsAg	Total Infant	Deaths 1	nate	" Based on Telliate pop	ulation.	
test results.	Neonatal	i	•	ALCOHOL AND DRUG ABUS	E AS LINDER	LYTNG
1000110001101	Postneonatal	•		OR CONTRIBUTING CA		
	Unknown					
Sexually Transmitted Disease				Alcohol	5	
Chlamydia Trachomatis 76	Race of Mother			Tobacco Use		179
Genital Herpes 10	White	•	•	Other Drugs	4	•
Gonorrhea <5 Syphilis 0	Black	•	•			
Syphilis 0	Hispanic Laotian/Hmong	•	•	MOTOR VEHIC	IE CDACHEC	
	Other/Unknown	· i	•	WOTOR VEHIC	LE CRASHES	
	O CITIET / OTIKITOWIT	'	•	Note: These data are	hased on 1	ocation
IMMUNIZATIONS	Birthweight			of crash, not		
	<1,500 gm	1		<u> </u>		
Children in Grades K-12 by	1,500-2,499 gm			Type of Motor Vehicle Crash Total Crashes	Persons	Persons
Compliance Level	2,500+ gm			Vehicle Crash	Injured	
Compliant 6,016	Unknown			Total Crashes	413	14
Compliant 6,016 Non-compliant 44 Percent Compliant 99.3	Danda - t - 3			Total Crashes Alcohol-Related With Citation:	91	10
Percent Compliant 99.3	Perinatal Mortality	Doo+ho	Do+o	With Citation: For OWI		9
	Mortality Total Perinatal	Deaths 2			71 50	3 0
	Neonatal	1		For Speeding Motorcyclist	17	0
	Neonatal Fetal	i		Bicyclist	5	Ö
		•	•	Pedestrian	š	-

DISEASE /		Per 1,000	Average Stay		Charge	DISEASE /		Per 1,000	Average Stay	Average	Charge Per
	Numbon					AGE GROUP	Numbon				
AGE GROUP	Number	Pop	(Days)	Charge	Capita	AGE GROUP	Number	Pop	(Days)	Charge	Capita
Injury-Related:	All					Alcohol-Related	d				
Ťotál	340	8.1	5.2	\$20,415	\$166	l Total	82	2.0	4.0	\$5,268	\$10
	31	3.2		\$10,907	\$35	18-44	55	3.8	4.0	\$5,112	\$19
<18 18-44	73	5.0		\$20,048	\$101	45-64	22	2.0	4.0	\$4,942	\$10
45-64	72	6.7	6.2	\$27,531	\$184	Pneumonia and 1				Ψ.,σ.=	Ψ.σ
65+	164	23.7			\$457	Total	154	3.7	3.9	\$9,227	\$34
Injury: Hip Fr		20.7	0.0	Ψ13,231	Ψτοι	<18	24	2.5	3.0	\$5,439	\$13
Total	47	1.1	6.0	\$20,438	\$23	45-64	26	2.4		\$13,671	\$33
65+	40	5.8	6.3		\$117	65+	94	13.6	3.9	\$9,164	\$125
		5.8	0.3	\$20,253	Φ117			13.0	3.9	φ9,104	\$125
Injury: Poisor		0 5	0.0	ф 7 600	Φ.4	Cerebrovascular		0 0	0 5	#10 00 F	644
Total	22	0.5	2.3	\$7,688	\$4	Total	138	3.3	3.5	\$12,385	\$41
18-44	11	•	•	•	•	45-64	26	2.4	2.8	\$15,649	\$38
						65+	107	15.5		\$11,589	\$179
sychiatric						Chronic Obstruc		onary l			
Total	266	6.4	7.7	\$7,748	\$49	Total	87	2.1	3.7	\$8,354	\$17
<18	87	8.9	7.1	\$7,331	\$66	<18 18-44 45-64 65+	12			•	
18-44	95	6.6	7.0	\$6,487	\$43	18-44	4				
45-64	48	4.5	9.7	\$8,656	\$39	45-64	17				
65+	36	5.2	8.6	\$10,875	\$57	65+	54	7.8	4.1	\$8,816	\$69
				•		Drug-Related				•	
Coronary Heart [isease					l Total	12				
Total	253	6.0	3.4	\$25,788	\$156	18-44	7				
45-64	79	7.3	3.0	\$27,033	\$198						
65+	164	23.7	3.6	\$25,459	\$604	Total Hospitali	zations				
00 1		2017	0.0	Ψ20, 100	ΨΟΟΙ	Total	4,546	108.6	4.0	\$12,105	\$1,314
Malignant Neopla	sms (Car	cers):	Δ11			<18	829	85.3	3.4	\$6,573	\$560
Total	173	4.1		\$19,800	\$82	18-44	1,029	71.2	3.2	\$8,319	\$592
	6			Ψ19,000	ΨΟΖ	18-44 45-64	910	84.4	4.3	\$16,224	\$1,370
10-44 15 61	67	6.2	6 1	\$21,683	\$135	65+	1,778	257.3	4.4	\$14,767	\$3,800
18-44 45-64 65+	83			\$17,976	\$216	05+	1,770	237.3	4.4	\$14,707	φ5,600
00.			+00 for	Φ17,970		PF	CVENTADI E	HOCDT		ONC*	
Neoplasms: Fen	iate bijes	ısı (ı'a	res ion	тешате ро	νραταιτοιι)					MO 107	\$125
Total	/	•	•	•	•	Total	569	13.6	3.8	\$9,197	
Neoplasms: Col	.o-rectal	- ^ -	- -	#04 004	047	<18	61	6.3	2.5	\$5,116	\$32
Total	29	0.7		\$24,094	\$17	18-44	48	3.3	3.3	\$8,613	\$29
65+	16			•	•	45-64	122	11.3		\$10,873	\$123
Neoplasms: Lur						65+	338	48.9	4.0	\$9,411	\$460
Total	15	•			•						
Diabetes						 * Hospitalizations	for cond	itions	where t	imely and	effecti
Total	49	1.2	5.0	\$14,200	\$17	ambulatory care ca	n reduce	the lil	celihood	of hosni	talizati
65+	15	1.2	5.0	Ψ17,200	Ψ11	l amparatory care ca	iii i educe	CHE TT	CTTHOOG	01 1103PT	CULIZACI
	1:0		_			1					